




		( )	
24		0.03 (m g/L)	
25		0.03 (m g/L)	0.016
26		0.1 (m g/L)	0.006
27		0.02 (m g/L)	
28		0.01 (m g/L)	
29		0.7 (m g/L)	
30		0.3 (m g/L)	
31		0.5 (m g/L)	
32	1,1-	0.03 (m g/L)	
33		0.002 (m g/L)	
34	1,2- -3-	0.003 (m g/L)	
35		0.03 (m g/L)	0.0075
36		0.1 (m g/L)	
37		0.09 (m g/L)	0.0040
38		0.004 (m g/L)	
39		0.1 (m g/L)	0.039
40		4.0 (m g/L)	0.79
41		300 (m g/L)	53
42		10 (m g/L)	2.5
43		(-)	
44		(-)	
45	(Cu)	1 (m g/L)	
46		5 ( )	
47	( )	0.5 (m g/L)	
48	(pH)	5.8 - 8.5 (-)	7.0
49		3 (m g/L)	
50		250 (m g/L)	15.4
51		500 (m g/L)	85
52		0.3 (m g/L)	
53		0.05 (m g/L)	
54		0.5 (N TU)	0.06
55		200 (m g/L)	8
56		0.2 (m g/L)	0.02
57	1,4-	0.05 (m g/L)	
58		0.5 (m g/L)	

\* / K-water . (http://www.kwater.or.kr) - ( ) )  
 \*  
 \*



(2017 07 18 )

28632

2

1571

/

http://www.kwater.or.kr

(043) 230-4423

(043) 230-4229 /

/

210mm×297mm[ 60g/m<sup>2</sup>( )

/ 2 가 .