

		()	
24		0.03 (m g/L)	
25		0.03 (m g/L)	0.008
26		0.1 (m g/L)	0.003
27		0.02 (m g/L)	
28		0.01 (m g/L)	
29		0.7 (m g/L)	
30		0.3 (m g/L)	
31		0.5 (m g/L)	
32	1,1-	0.03 (m g/L)	
33		0.002 (m g/L)	
34	1,2- -3-	0.003 (m g/L)	
35		0.03 (m g/L)	0.0016
36		0.1 (m g/L)	
37		0.09 (m g/L)	0.0020
38		0.004 (m g/L)	
39		0.1 (m g/L)	0.016
40		4.0 (m g/L)	0.78
41		300 (m g/L)	39
42		10 (m g/L)	2.3
43		(-)	
44		(-)	
45	(C u)	1 (m g/L)	
46		5 ()	
47	()	0.5 (m g/L)	
48	(pH)	5.8 - 8.5 (-)	7.4
49		3 (m g/L)	0.002
50		250 (m g/L)	16.5
51		500 (m g/L)	85
52		0.3 (m g/L)	
53		0.05 (m g/L)	
54		0.5 (N TU)	0.04
55		200 (m g/L)	8
56		0.2 (m g/L)	
57	1,4-	0.05 (m g/L)	
58		0.5 (m g/L)	
59		0.01 (m g/L)	

* / K-water . (http://www.kwater.or.kr - ())
 *
 *



(2018 01 30)

61949

78 4

/ <http://www.kwater.or.kr>

(062) 370-1281

(062) 370-1232 /

ksk vision@kwater.or.kr /

210mm×297mm[60g/m²()

/ 2 가 .