



		( )	
24		0.03 (m g/L)	
25		0.03 (m g/L)	0.010
26		0.1 (m g/L)	0.003
27		0.02 (m g/L)	
28		0.01 (m g/L)	
29		0.7 (m g/L)	
30		0.3 (m g/L)	
31		0.5 (m g/L)	
32	1,1-	0.03 (m g/L)	
33		0.002 (m g/L)	
34	1,2- -3-	0.003 (m g/L)	
35		0.03 (m g/L)	0.0018
36		0.1 (m g/L)	
37		0.09 (m g/L)	0.0018
38		0.004 (m g/L)	
39		0.1 (m g/L)	0.018
40		4.0 (m g/L)	0.77
41		300 (m g/L)	34
42		10 (m g/L)	3.9
43		(-)	
44		(-)	
45	(C u)	1 (m g/L)	
46		5 ( )	
47	( )	0.5 (m g/L)	
48	(pH )	5.8 - 8.5 (-)	7.4
49		3 (m g/L)	
50		250 (m g/L)	17.0
51		500 (m g/L)	92
52		0.3 (m g/L)	
53		0.05 (m g/L)	
54		0.5 (N TU)	0.04
55		200 (m g/L)	9
56		0.2 (m g/L)	
57	1,4-	0.05 (m g/L)	
58		0.5 (m g/L)	
59		0.01 (m g/L)	

\* / K-water . ( http://www.kwater.or.kr - ( ) )  
 \*  
 \*



(2018 02 26 )

61949

78 4

/

h ttp://www.kwater.or.kr

(062) 370-1281

(062) 370-1232 /

ksk vision@kwater.or.kr /

210mm×297mm[ 60g/m<sup>2</sup>( )

/ 2 가 .

